



LIVION


LivionKey-30
Installation Manual

Version 1.0

1. Installation of LivionKey-30

1.1 Wall Bracket

- Install the Wall Bracket on the wall with 6 screws and anchors/plugs. The installation should be done properly to ensure that it can carry the weight of the device.
- Ensure that you have a power outlet near.



1.2 LivionKey-30 device

- Take 2 keys from the backside of the LivionKey-30 (attached with tape inside the enclosure). Open the lock located in the bottom of the device with the key (turn the key 180 degrees).
- Turn on the LivionKey-30 with power switch. Don't connect the power supply to mains yet. When the blue led is ON in the front panel, the LivionKey-30 is up and running normally. This takes approximately 30 seconds.

Note!

- During the start-up, the device moves the locker carousel, ensure that you don't have anything inside the device then.
 - If the device has been stored for a long time, the battery might be empty. In this case the device will not start until it's connected to mains.
- Set LivionKey-30 carefully to the Wall Bracket. Secure the lock and remove the key. The device cannot be removed from the Wall Bracket now.
 - Connect the power supply to mains.
 - It's recommended to clean dirt and fingerprints from the device by using some specific stainless steel care spray (e.g. Würth Art.-no.: 0893121) .

1.3 Installing and using LivionKey-30 by LivionKey Dashboard

- Navigate to address <https://app.livionkey.com>
- Enter your credentials given by administrator (username, password) to login page and click 'Login' -button.
- Click 'Install new Key box' -tab in the left side of the UI to start 'Install Wizard' and follow instructions

Note! User manual for LivionKey dashboard is available for download at <https://livionkey.com/>